Command Reference (CMD/4OS/2)

- About Command reference
- The Command Line
  - Command-Line Editing
  - Command History and Recall
  - Command History Window
  - Command Names and Parameters
  - Filename Completion
  - Automatic Directory Changes
  - Directory History Window
    - Local and Global Directory History
  - Multiple Commands
  - Expanding and Disabling Aliases
  - Command Line Help
  - Command-Line Length Limits
- File Selection
  - Extended Parent Directory Names
  - Wildcards
  - Ranges
    - Date, Time, and Size Ranges
      - Date Ranges
      - Time Ranges
      - Size Ranges
    - File Exclusion Ranges
  - Multiple Filenames
  - Include Lists
  - Executable Extensions
- Directory Navigation
  - Extended Directory Searches
  - CDPATH
- Other Features
  - Page and File Prompts
  - Redirection and Piping
    - Redirection
    - Piping
  - Using the Keystack
  - Waiting for Applications to Finish
  - Critical Errors
  - Conditional Commands
  - Command Grouping
  - Escape Character
- Internal Commands
  - ? - List the internal commands
  - ACTIVATE - Activate a window
  - ALIAS - Create or display aliases
  - ATTRIB - Change or view file attributes
  - BEEP - Beep the speaker
  - CALL - Execute one batch file from another
  - CANCEL - Terminate batch file processing

- CD - Change the current directory
- CDD - Change the current drive and directory
- CHCP - Change the current code page
- CLS - Clear the screen
- COLOR - Change the display colors
- COPY - Copy files
- DATE - Change the system date
- DEL - Delete one or more files
- DELAY - Pause for a specified length of time
- DESCRIBE - Create or modify file descriptions
- DETACH - Start a program in detached mode
- DIR - Display directories
- DIRHISTORY - Display, read, or modify the directory history list
- DIRS - Display the directory stack
- DO - Create loops in batch files
- DPATH - Set the data search path
- DRAWBOX - Draw a box
- DRAWHLINE - Draw a horizontal line
- DRAWVLINE - Draw a vertical line
- ECHO and :internal:echo|ECHOERR]] - Display a message / set echo state
- ECHOS and :internal:echos|ECHOSERR]] - Display a message without CR/LF
- ENDLOCAL - Restore the saved environment
- ESET - Edit environment variables and aliases
- EXCEPT - Exclude files from a command
- EXIT - Exit CMD.EXE
- FFIND - Search for files
- FOR - Repeat a command
- FREE - Display total and free disk space
- GLOBAL - Execute a command all subdirectories
- GOSUB - Execute a subroutine in a batch file
- GOTO - Branch within a batch file
- HELP - Display help
- HISTORY - Manage the history list
- IF - Execute a command if a condition is true
- IFF - :internal:if-then-else|IF]] / :internal:if-then-else|THEN]] / :internal:if-then-else|ELSE]] conditional command execution
- INKEY - Get a character from the keyboard
- INPUT - Get a string from the keyboard
- KEYBD - Set the keyboard toggles
- KEYS - Enable or disable the history list
- KEYSTACK - Feed keystrokes to a program or command
- LIST - Display a file
- LOADBTM - Switch a batch file's mode
- LOG - Save a log of commands
- MD - Create a subdirectory
- MEMORY - Display memory statistics
- MOVE - Move files
- ON - Handle Ctrl-Break and errors in batch files
- OPTION - Modify the command processor configuration
- PATH - Set the executable file search path
- PAUSE - Suspend batch file or alias execution

    - POPD - Restore the disk drive and directory
    - PROMPT - Change the command-line prompt
    - PUSHD - Save the disk drive and directory
    - QUIT - Terminate a batch file
    - RD - Remove subdirectories
    - REBOOT - Reboot the system
    - REM - Put a comment in a batch file
    - REN - Rename files or subdirectories
    - RETURN - Return from a subroutine in a batch file
    - SCREEN - Position the cursor and display text
    - SCRPUT - Display text in color
    - SELECT - Select files for a command
    - SET - Create or modify environment variables
    - SETDOS - Set the CMD.EXE configuration
    - SETLOCAL - Save the environment
    - SHIFT - Shift batch file parameters
    - SHRALIAS - Load or unload SHRALIAS.EXE
    - START - Start a program in another session
    - SWITCH - Select commands based on a value
    - TEE - “Tee” pipe fitting
    - TEXT - Display text in a batch file
    - TIME - Set the system time
    - TIMER - Start or stop a stopwatch
    - TITLE - Window title
    - TOUCH - Change date and time stamps
    - TREE - Directory tree
    - TYPE - Display file(s)
    - UNALIAS - Remove aliases
    - UNSET - Remove environment variables
    - VER - Display the CMD.EXE and OS/2 version
    - VERIFY - Enable or disable disk write verification
    - VOL - Display disk volume labels
    - VSCRPUT - Display text vertically and in color
    - WINDOW - Change the window state or title
    - Y - “Y” pipe fitting
- External Commands
- Aliases
- Batch Files
    - .BAT, .CMD, and .BTM Files
    - Echoing in Batch Files
    - Batch File Parameters
    - Using Environment Variables
    - Batch File Commands
    - Interrupting a Batch File
    - Automatic Batch Files
    - Detecting CMD.EXE
    - Using Aliases in Batch Files
    - Debugging Batch Files
    - Batch File String Processing
    - Batch File Line Continuation
    - Batch File Compression

    - Special Character Compatibility
    - Command Parsing
    - Argument Quoting
    - REXX Support
    - EXTPROC Support
- Environment Variables and Functions
    - CDPATH
    - cmdline
    - COLORDIR
    - COMSPEC
    - FILECOMPLETION
    - PATH
    - PATHEXT
    - PROMPT
    - Internal Variables
        - (null)
        - _?
        - (null)
        - (null)
        - _4VER
        - _ANSI
        - _APMAC
        - _APMBATT
        - _APMLIFE
        - _BATCH
        - _BATCHLINE
        - _BATCHNAME
        - _BG
        - _BOOT
        - _CI
        - _CMDPROC
        - _CO
        - _CODEPAGE
        - _COLUMN
        - _COLUMNS
        - _COUNTRY
        - _CPU
        - _CWD
        - _CWDS
        - _CWP
        - _CWPS
        - _DATE
        - _DAY
        - _DISK
        - _DNAME
        - _DOS
        - _DOSVER
        - _DOW
        - _DOWI
        - _DOY
        - _FG

        - _HLOGFILE
        - _HOUR
        - _KBHIT
        - _LASTDISK
        - _LOGFILE
        - _MINUTE
        - _MONITOR
        - _MONTH
        - _MOUSE
        - _NDP
        - _PID
        - _PIPE
        - _PPID
        - _PTYPE
        - _ROW
        - _ROWS
        - _SECOND
        - _SHELL
        - _SID
        - _SYSERR
        - _TIME
        - _TRANSIENT
        - _VIDEO
        - _WINTITLE
        - _XPIXELS
        - _YEAR
        - _YPIXELS
    - [en:docs:cmd:func|Variable Functions]]
        - @ALIAS
        - @ASCII
        - @ATTRIB
        - @CDROM
        - @CHAR
        - @CLIP
        - @COMMA
        - @CONVERT
        - @DATE
        - @DAY
        - @DEC
        - @DESCRIPT
        - @DEVICE
        - @DISKFREE
        - @DISKTOTAL
        - @DISKUSED
        - @DOSMEM
        - @DOW
        - @DOWI
        - @DOY
        - @EAREAD
        - @EAWRITE
        - @EVAL

- @EXEC
- @EXECSTR
- @EXETYPE
- @EXPAND
- @EXT
- @FILEAGE
- @FILECLOSE
- @FILEDATE
- @FILENAME
- @FILEOPEN
- @FILEREAD
- @FILES
- @FILESEEK
- @FILESEEKL
- @FILESIZE
- @FILETIME
- @FILEWRITE
- @FILEWRITEB
- @FINDCLOSE
- @FINDFIRST
- @FINDNEXT
- @FORMAT
- @FSTYPE
- @FULL
- @IF
- @INC
- @INDEX
- @INSERT
- @INSTR
- @INT
- @LABEL
- @LEFT
- @LEN
- @LINE
- @LINES
- @LOWER
- @MAKEAGE
- @MAKEDATE
- @MAKETIME
- @MONTH
- @NAME
- @NUMERIC
- @PATH
- @RANDOM
- @READSCR
- @READY
- @REMOTE
- @REMOVABLE
- @REPEAT
- @REPLACE
- @REXX

        - @RIGHT
        - @SEARCH
        - @SELECT
        - @STRIP
        - @SUBSTR
        - @TIME
        - @TIMER
        - @TRIM
        - @UNIQUE
        - @UPPER
        - @WILD
        - @WORD
        - @WORDS
        - @YEAR
- CMD.INI
    - Modifying the .INI File
    - Using the .INI File
    - .INI File Sections
    - .INI File Directives
        - Initialization Directives
            - 4StartPath
            - DirHistory (directive)
            - DuplicateBugs
            - HelpBook
            - History (directive)
            - INIQuery
            - LocalAliases
            - LocalDirHistory
            - LocalHistory
            - PauseOnError
            - SwapFilePath
            - TreePath
            - WindowState
            - WindowX, en:docs:cmd:ini:directives:init:window-geo|WindowY]], en:docs:cmd:ini:directives:init:window-geo|WindowWidth]], en:docs:cmd:ini:directives:init:window-geo|WindowHeight]]
        - Configuration Directives
            - AmPm
            - AppendToDir
            - BatchEcho
            - BeepFreq
            - BeepLength
            - CDDWinLeft, :ini:cfg:cddwin-geo|CDDWinTop]], :ini:cfg:cddwin-geo|CDDWinWidth]], :ini:cfg:cddwin-geo|CDDWinHeight]]
            - CommandSep
            - CursorIns
            - CursorOver
            - DecimalChar
            - DescriptionMax
            - DescriptionName
            - Descriptions

- EditMode
- EscapeChar
- EvalMax
- EvalMin
- ExecWait
- FileCompletion
- FuzzyCD
- HistCopy
- HistLogName
- HistMin
- HistMove
- HistWrap
- LineInput
- ListRowStart
- LogName
- NoClobber
- ParameterChar
- PathExt
- PopupWinLeft, en:docs:cmd:ini:directives:cfg:popup-win-xxx|PopupWinTop]], en:docs:cmd:ini:directives:cfg:popup-win-xxx|PopupWinWidth]], en:docs:cmd:ini:directives:cfg:popup-win-xxx|PopupWinHeight]]
- Printer
- ScreenRows
- TabStops
- ThousandsChar
- UnixPaths
- UpperCase

- Color Directives
  - BrightBG
  - CDDWinColors
  - ColorDir
  - InputColors
  - ListboxBarColors
  - ListColors
  - ListStatBarColors
  - PopupWinColors
  - SelectColors
  - SelectStatBarColors
  - StdColors
- Key Mapping Directives
  - General Input Keys
    - Backspace
    - BeginLine
    - Del
    - DelToBeginning
    - DelToEnd
    - DelWordLeft
    - DelWordRight
    - Down
    - EndLine
    - EraseLine

        - ExecLine
        - Ins
        - Left
        - NormalKey
        - Right
        - Up
        - WordLeft
        - WordRight
    - Command-Line Editing Keys
        - AddFile
        - AliasExpand
        - CommandEscape
        - DelHistory
        - EndHistory
        - Help
        - LineToEnd
        - NextFile
        - NextHistory
        - NormalEditKey
        - PopFile
        - PrevFile
        - PrevHistory
        - SaveHistory
    - Popup Window Keys
        - DirWinOpen
        - HistWinOpen
        - NormalPopupKey
        - PopupWinBegin
        - PopupWinDel
        - PopupWinEdit
        - PopupWinEnd
        - PopupWinExec
    - LIST Keys
        - ListExit
        - ListFind
        - ListFindReverse
        - ListHex
        - ListHighBit
        - ListInfo
        - ListNext
        - ListPrevious
        - ListPrint
        - ListWrap
        - NormalListKey
  - Advanced Directives
    - ClearKeyMap
    - Debug
    - Include
    - NextINIFile
- .INI File Examples
- Setup and Troubleshooting

    - Starting CMD.EXE
    - The CMD.EXE Help System
    - Error Messages
    - Troubleshooting, Service, and Support
        - Technical Support
        - Contacting JP Software
- What's New?
    - General Features and Enhancements
    - Command Line Editing
        - Command Changes
        - Variables and Functions
        - Startup and Configuration
        - Technical and Compatibility Enhancements
        - Bugs Fixed
- Reference Information
    - File Systems and File Name Conventions
        - Drives and Volumes
        - File Systems
        - Directories and Subdirectories
        - File Names
        - File Attributes and Time Stamps
    - Miscellaneous Reference Information
        - Colors and Color Names
        - Keys and Key Names
        - Popup Windows
        - Executable Files and File Searches
    - Reference Tables
        - ASCII Table
        - Key Codes and Scan Codes Table
        - Key Codes and Scan Codes Explanation
        - ANSI Codes
    - Glossary
        - Glossary - 4
        - Glossary - A
        - Glossary - B
        - Glossary - C
        - Glossary - D
        - Glossary - E
        - Glossary - F
        - Glossary - G
        - Glossary - H
        - Glossary - I
        - Glossary - K
        - Glossary - L
        - Glossary - M
        - Glossary - N
        - Glossary - O
        - Glossary - P
        - Glossary - R
        - Glossary - S
        - Glossary - T

- Glossary - U
- Glossary - V
- Glossary - W
- Glossary - X

- Created using Inf-PHP v.1 © 2003 Yuri Prokushev
- Created using Inf-HTML v.0.9b © 1995 :Peter Childs|http://www.apanix.apana.org.au/~pjchilds]]

From:
http://www.osfree.org/doku/ - **osFree wiki**

Permanent link:
http://www.osfree.org/doku/doku.php?id=en:docs:cmd:index&rev=1400904899

Last update: **2014/05/24 05:40**