



# KBDCALLS

This is forwarder DLL to [DOSCALLS.DLL](#) on latest OS/2 versions. No any real code here. [FAPI](#) column is a Family API support. Version column is OS/2 version function introduced.

## Entry points

Ordinal	Name	Description	Status	FAPI	Version
1	<a href="#">KbdSetCustXt</a>	Forwarder to <a href="#">DOSCALLS.745</a>	Done		1.0
2	<a href="#">KbdInit</a>	Forwarder to <a href="#">DOSCALLS.746</a>	Done		
3	<a href="#">KbdGetCp</a>	Forwarder to <a href="#">DOSCALLS.747</a>	Done		1.0
4	<a href="#">KbdCharIn</a>	Forwarder to <a href="#">DOSCALLS.748</a>	Done	Yes	1.0
5	<a href="#">KbdSetCp</a>	Forwarder to <a href="#">DOSCALLS.749</a>	Done		1.0
6	<a href="#">KbdLoadInstance</a>	Forwarder to <a href="#">DOSCALLS.750</a>	Done		
7	<a href="#">KbdSynch</a>	Forwarder to <a href="#">DOSCALLS.751</a>	Done		1.0
8	<a href="#">KbdRegister</a>	Forwarder to <a href="#">DOSCALLS.752</a>	Done		1.0
9	<a href="#">KbdStringIn</a>	Forwarder to <a href="#">DOSCALLS.753</a>	Done	Yes	1.0
10	<a href="#">KbdGetStatus</a>	Forwarder to <a href="#">DOSCALLS.754</a>	Done	Yes	1.0
11	<a href="#">KbdSetStatus</a>	Forwarder to <a href="#">DOSCALLS.755</a>	Done	Yes	1.0
12	<a href="#">KbdGetFocus</a>	Forwarder to <a href="#">DOSCALLS.756</a>	Done		1.0
13	<a href="#">KbdFlushBuffer</a>	Forwarder to <a href="#">DOSCALLS.757</a>	Done	Yes	1.0
14	<a href="#">KbdXlate</a>	Forwarder to <a href="#">DOSCALLS.758</a>	Done		1.0
15	<a href="#">KbdSwitchFgnd</a>	Forwarder to <a href="#">DOSCALLS.759</a>	Done		
16	<a href="#">KbdShellInit</a>	Forwarder to <a href="#">DOSCALLS.760</a>	Done		
17	<a href="#">KbdClose</a>	Forwarder to <a href="#">DOSCALLS.761</a>	Done		1.0
18	<a href="#">KbdFreeFocus</a>	Forwarder to <a href="#">DOSCALLS.762</a>	Done		1.0
19	<a href="#">KbdFree</a>	Forwarder to <a href="#">DOSCALLS.763</a>	Done		
20	<a href="#">KbdDeRegister</a>	Forwarder to <a href="#">DOSCALLS.764</a>	Done		1.0
21	<a href="#">KbdSetFgnd</a>	Forwarder to <a href="#">DOSCALLS.765</a>	Done		
22	<a href="#">KbdPeek</a>	Forwarder to <a href="#">DOSCALLS.766</a>	Done	Yes	1.0
23	<a href="#">KbdOpen</a>	Forwarder to <a href="#">DOSCALLS.767</a>	Done		1.0
24	<a href="#">KbdGetHWId</a>	Forwarder to <a href="#">DOSCALLS.768</a>	Done		
25	<a href="#">KbdSetHWId</a>	Forwarder to <a href="#">DOSCALLS.769</a>	Done		


## Versions


Date&Time	SHA1	BldLevel/Version	Size	Comments
2012-01-25 16:57		14.100	904 bytes	osFree Keyboard API
2002-03-08 20:16		N/A	1,024 bytes	

Date&Time	SHA1	BldLevel/Version	Size	Comments
1992-02-06 17:03	c6375e8869c3dc5a5608f00996a13d3e918db1ae	IBM Personal Computer DOS Version 0.00 Keyboard Router	7,753	IBM OS/2 SDK 1.3 CSD1
1988-08-08 00:00	37efcbf234a5d1e90a04ae4f828bce8c190055b7	IBM Personal Computer DOS Version 0.00 Keyboard Router	6,192 bytes	MS OS/2 SDK 1.05
1987-12-15 00:00	292a7ddff2d67995e95d0e1fe155d55c068ea756	Microsoft OS/2 Version 0.00 Keyboard Router	7,232 bytes	MS OS/2 SDK 1.02
1987-10-21 00:00		IBM Personal Computer DOS Version 0.00 Keyboard Router	7,232 bytes	MS OS/2 1.0

OS/2 DLLs

Base API	DOSCALLS EMXWRAP SUB32 ANSICALL NLS MSG MONCALLS KBDSCALLS MOUCALLS VIOCALLS SESMGR BKSCALLS BMSCALLS BVSCALLS NAMPIPES QUECALLS OS2CHAR
Bidirectional NLS	BDCALLS BDCALLS32 BDIME BDBVH BDVIEW BDWPCLS BIDIPM PMBIDI
Unicode API	UCONV UNIKBD LIBUNI
BVH (Base Video Handlers)	BVHINIT BVHMPA BVHVGGA BVHSVGA BVHWNDW
GRADD subsystem	VMAN SOFTDRAW GRE2VMAN GENGRADD
IPF (Information Presentation facility)	HELPMGR HPMGRMRI MINXOBJ IBMHMGR NEWVIEW MINXMRI ERRTXT
REXX	REXX REXXAPI REXXUTIL REGINA
The core PM DLL's	PMMERGE PMMRGRES PMSHAPI PMSHLTKT PMGRE PMGPI PMDRAG PMCTLS PMMLE PMSPL PMVIOP PMWIN
Open32	PMWINX MIRRORS REGISTRY
Intelligent Font Interface drivers	PMATM TRUETYPE PMUNIF FREETYPE PMPRE
Data Exchange	PMCLIP PMDDE PMDDEML
VDM PM interface	PMVDMH PMVDMP SEAMLESS SHIELD
WPS	PMWP PMWPMRU PMVDDROP
Miscellaneous	PMPIC PMTKT MVDM





Family API		
DOS	Process Manager	<a href="#">DosBeep</a> <a href="#">DosExit</a> <a href="#">DosSleep</a> <a href="#">DosExecPgm</a>
	File Manager	<a href="#">DosChDir</a> <a href="#">DosChgFilePtr</a> <a href="#">DosClose</a> <a href="#">DosDelete</a> <a href="#">DosDupHandle</a> <a href="#">DosMkDir</a> <a href="#">DosMove</a> <a href="#">DosQCurDir</a> <a href="#">DosQCurDisk</a> <a href="#">DosSetFileMode</a> <a href="#">DosOpen</a> <a href="#">DosQFileInfo</a> <a href="#">DosRead</a> <a href="#">DosQFileInfo</a> <a href="#">DosQFSInfo</a> <a href="#">DosQVerify</a> <a href="#">DosRmDir</a> <a href="#">DosSelectDisk</a> <a href="#">DosFindClose</a> <a href="#">DosFindFirst</a> <a href="#">DosFindNext</a> <a href="#">DosSetFileInfo</a> <a href="#">DosSetVerify</a> <a href="#">DosWrite</a> <a href="#">DosFileLocks</a> <a href="#">DosSetFHandState</a> <a href="#">DosNewSize</a> <a href="#">DosBufReset</a> <a href="#">DosQFHandState</a> <a href="#">DosSetFSinfo</a>
	Memory Manager	<a href="#">DosFreeSeg</a> <a href="#">DosSubAlloc</a> <a href="#">DosSubFree</a> <a href="#">DosSubSet</a> <a href="#">DosAllocHuge</a> <a href="#">DosAllocSeg</a> <a href="#">DosReallocHuge</a> <a href="#">DosReallocSeg</a> <a href="#">DosGetHugeShift</a> <a href="#">DosCreateCSAlias</a>
	NLS	<a href="#">DosCaseMap</a> <a href="#">DosGetCtryInfo</a> <a href="#">DosGetDBCSEv</a> <a href="#">DosSetCtryCode</a> <a href="#">DosGetCollate</a> <a href="#">DosGetMessage</a> <a href="#">DosInsMessage</a> <a href="#">DosPutMessage</a>
	Date and Time	<a href="#">DosSetDateTime</a> <a href="#">DosGetDateTime</a>
	Devices	<a href="#">DosDevConfig</a> <a href="#">DosDevIOCtl</a> <a href="#">DosDevIOCtl2</a>
	Signals	<a href="#">DosHoldSignal</a> <a href="#">DosSetSigHandler</a>
	Misc	<a href="#">BadDynLink</a> <a href="#">DosGetEnv</a> <a href="#">DosGetMachineMode</a> <a href="#">DosGetVersion</a> <a href="#">DosError</a> <a href="#">DosErrClass</a> <a href="#">DosSetVec</a>
KBD		<a href="#">KbdCharIn</a> <a href="#">KbdFlushBuffer</a> <a href="#">KbdGetStatus</a> <a href="#">KbdSetStatus</a> <a href="#">KbdStringIn</a> <a href="#">KbdPeek</a>
VIO		<a href="#">VioGetBuf</a> <a href="#">VioGetConfig</a> <a href="#">VioGetCurPos</a> <a href="#">VioGetCurType</a> <a href="#">VioGetPhysBuf</a> <a href="#">VioReadCellStr</a> <a href="#">VioReadCharStr</a> <a href="#">VioScrollUp</a> <a href="#">VioScrollDn</a> <a href="#">VioScrollLf</a> <a href="#">VioScrollRt</a> <a href="#">VioScrUnLock</a> <a href="#">VioSetCurPos</a> <a href="#">VioSetCurType</a> <a href="#">VioSetMode</a> <a href="#">VioGetMode</a> <a href="#">VioShowBuf</a> <a href="#">VioWrtCellStr</a> <a href="#">VioWrtCharStr</a> <a href="#">VioWrtCharStrAtt</a> <a href="#">VioWrtNAttr</a> <a href="#">VioWrtNCell</a> <a href="#">VioWrtNChar</a> <a href="#">VioWrtTTY</a> <a href="#">VioScrLock</a> <a href="#">VioPopUp</a>
Tools		<a href="#">BIND</a>
Modules		<a href="#">DOSCALLS.DLL</a> <a href="#">VIOCALLS.DLL</a> <a href="#">KBDCALLS.DLL</a> <a href="#">MSG.DLL</a>
Libraries		<a href="#">API.LIB</a> <a href="#">OS2386.LIB</a> <a href="#">FAPI.LIB</a> <a href="#">DOSCALLS.LIB</a> <a href="#">SUBCALLS.LIB</a>

2018/08/25 15:05 · prokushev · 0 Comments

OS/2 API		
DOS	Process Manager	<a href="#">DosBeep</a> <a href="#">DosExit</a> <a href="#">DosSleep</a> <a href="#">DosExecPgm</a>
	File Manager	<a href="#">DosChDir</a> <a href="#">DosChgFilePtr</a> <a href="#">DosClose</a> <a href="#">DosDelete</a> <a href="#">DosDupHandle</a> <a href="#">DosMkDir</a> <a href="#">DosMove</a> <a href="#">DosQCurDir</a> <a href="#">dos16qcurdisk</a> <a href="#">DosSetFileMode</a> <a href="#">DosOpen</a> <a href="#">DosQFileInfo</a> <a href="#">DosRead</a> <a href="#">DosQFileInfo</a> <a href="#">DosQFSInfo</a> <a href="#">DosQVerify</a> <a href="#">DosRmDir</a> <a href="#">DosSelectDisk</a> <a href="#">DosFindClose</a> <a href="#">DosFindFirst</a> <a href="#">DosFindNext</a> <a href="#">DosSetFileInfo</a> <a href="#">DosSetVerify</a> <a href="#">DosWrite</a> <a href="#">DosFileLocks</a> <a href="#">DosSetFHandState</a> <a href="#">DosNewSize</a> <a href="#">DosBufReset</a> <a href="#">DosQFHandState</a> <a href="#">DosSetFSinfo</a>
	Memory Manager	<a href="#">DosFreeSeg</a> <a href="#">DosSubAlloc</a> <a href="#">DosSubFree</a> <a href="#">DosSubSet</a> <a href="#">DosAllocHuge</a> <a href="#">DosAllocSeg</a> <a href="#">DosReallocHuge</a> <a href="#">DosReallocSeg</a> <a href="#">DosGetHugeShift</a> <a href="#">DosCreateCSAlias</a>
	NLS	<a href="#">DosCaseMap</a> <a href="#">DosGetCtryInfo</a> <a href="#">DosGetDBCSEv</a> <a href="#">DosSetCtryCode</a> <a href="#">DosGetCollate</a>
	Date and Time	<a href="#">DosSetDateTime</a> <a href="#">DosGetDateTime</a>
	Devices	<a href="#">DosDevConfig</a> <a href="#">DosDevIOCtl</a>
	Signals	<a href="#">DosHoldSignal</a> <a href="#">DosSetSigHandler</a>
	Misc	<a href="#">DosGetEnv</a> <a href="#">DosGetMachineMode</a> <a href="#">DosGetMessage</a> <a href="#">DosGetVersion</a> <a href="#">DosInsMessage</a> <a href="#">DosPutMessage</a> <a href="#">DosError</a> <a href="#">DosErrClass</a> <a href="#">DosSetVec</a>
Keyboard Router		<a href="#">KbdCharIn</a> <a href="#">KbdFlushBuffer</a> <a href="#">KbdGetStatus</a> <a href="#">KbdSetStatus</a> <a href="#">KbdStringIn</a> <a href="#">KbdPeek</a>

OS/2 API		
Video Router		VioGetBuf VioGetCurPos VioGetCurType VioGetPhysBuf VioReadCellStr VioReadCharStr VioScrollDn VioScrollLf VioScrollRt VioScrUnLock VioSetCurPos VioSetCurType VioSetMode VioShowBuf VioWrtCellStr VioWrtCharStr VioWrtCharStrAtt VioWrtNAttr VioWrtNCell VioWrtNChar VioWrtTTY VioScrLock VioGetCP
Mouse Router		
Presentation Manager		
Workplace Shell		
REXX		
MMIO/2		
Tools		
Modules		<a href="#">Modules list</a>
Libraries		DOSCALLS.LIB OS2.LIB PMMLE.LIB REXX.LIB RXSTRING.LIB OS2286.LIB OS2386.LIB PMBIND.LIB

2018/09/05 06:19 · prokushev · [0 Comments](#)

From:

<http://www.osfree.org/doku/> - **osFree wiki**

Permanent link:

<http://www.osfree.org/doku/doku.php?id=en:docs:os2:modules:kbdcalls>

Last update: **2021/08/20 12:27**

