

KBDCALLS

| Ordinal | Name | Desc | Ordinal | Name | Desc |
|---------|----------------|------|---------|-----------------|------|
| 1 | KbdSetCustXt | | 2 | KbdInit | |
| 3 | KbdGetCp | | 4 | KbdCharIn | |
| 5 | KbdSetCp | | 6 | KbdLoadInstance | |
| 7 | KbdSynch | | 8 | KbdRegister | |
| 9 | KbdStringIn | | 10 | KbdGetStatus | |
| 11 | KbdSetStatus | | 12 | KbdGetFocus | |
| 13 | KbdFlushBuffer | | 14 | KbdXlate | |
| 15 | KbdSwitchFgnd | | 16 | KbdShellInit | |
| 17 | KbdClose | | 8 | KbdFreeFocus | |
| 19 | KbdFree | | 20 | KbdDeRegister | |
| 21 | KbdSetFgnd | | 22 | KbdPeek | |
| 23 | KbdOpen | | 24 | KbdGetHWId | |
| 25 | KbdSetHWId | | | | |

From:
<http://www.osfree.org/doku/> - **osFree wiki**

Permanent link:
<http://www.osfree.org/doku/doku.php?id=en:docs:os2:modules:kbdcalls&rev=1403656305>

Last update: **2014/06/25 00:31**

