



This is part of **Family API** which allow to create dual-os version of program runs under OS/2 and DOS

Note: This is legacy API call. It is recommended to use 32-bit equivalent

2021/09/17 04:47 · prokushev · [0 Comments](#)

2021/08/20 03:18 · prokushev · [0 Comments](#)

VioGetFont

This call returns either the font table of the size specified or the font in use.

Syntax

```
VioGetFont (RequestBlock, VioHandle)
```

Parameters

- RequestBlock ([PVIOfontInfo](#)) - input/output: Address of the font structure that returns current RAM font or specified ROM or code page font depending on the request type.
- VioHandle ([HVIO](#)) - input : Reserved word of 0s.

Return Code

rc (USHORT) - return:Return code descriptions are:

- 0 NO_ERROR
- 355 ERROR_VIO_MODE
- 421 ERROR_VIO_INVALID_PARMS
- 438 ERROR_VIO_INVALID_LENGTH
- 465 ERROR_VIO_DETACHED
- 467 ERROR_VIO_FONT
- 494 ERROR_VIO_EXTENDED_SG

Remarks

For reqtype = 1, return ROM font, the font size requested must be supported by the display adapter installed. The 8×8, 8×14, 9×14, 8×16, or 9×16 character font may be requested for the VGA or PS/2 Display Adapters. The 8×8, 8×14, or 9×14 font may be requested for the enhanced graphics adapter. The 8×8 font may be requested for the colour graphics adapter.

Note: Although graphics mode support is provided in VioGetFont, this support is not provided by the Base Video Handlers provided with OS/2.

For reqtype = 1, return ROM font, the far address returned is a ROM pointer only for those fonts where the font table for the full 256-character set is actually contained in ROM. Otherwise, the far address returned is a RAM pointer. Note that for 8x8 on the CGA, the font table for the full 256-character set is returned. For 9x14 or 9x16 the font table for the full 256-character set is also returned. Partial fonts are not returned. The 9x14 and 9x16 fonts are derived from variations of the 8x14 and 8x16 fonts, respectively, where the definitions of fonts for those characters that are different, are replaced.

For VioGetFont specifying reqtype = 1, return ROM font, the font returned is derived from the fonts contained in the system, EGA, VGA, and PS/2 Display Adapter BIOS data areas as applicable. There is an exception for the EGA, VGA and PS/2 Display Adapter when [VioSetCp](#) or [VioSetFont](#) has been issued. In that case, the font of the size requested is returned from the active code page or the list of user fonts already set.

Bindings

C

```
typedef struct _VIOFONTINFO { /* viofi */
    USHORT cb; /* length of this structure */
    USHORT type; /* request type */
    USHORT cxCell; /* pel columns in character cell */
    USHORT cyCell; /* pel rows in character cell */
    PVOID pbData; /* requested font table (returned) */
    USHORT cbData; /* length of caller supplied data area (in
bytes) */
} VIOFONTINFO;

#define INCL_VIO

USHORT rc = VioGetFont(RequestBlock, VioHandle);

PVIOFONTINFO RequestBlock; /* Request block */
HVIO VioHandle; /* Vio handle */

USHORT rc; /* return code */
```

MASM

```
VIOFONTINFO struc
    viofi_cb dw ? ;length of this structure
    viofi_type dw ? ;request type
    viofi_cxCell dw ? ;pel columns in character cell
    viofi_cyCell dw ? ;pel rows in character cell
```

```

viofi_pbData dd ? ;requested font table (returned)
viofi_cbData dw ? ;length of caller supplied data area (in bytes)
VIOFONTINFO ends

```

```

EXTRN VioGetFont:FAR
INCL_VIO EQU 1

```

```

PUSH@ OTHER RequestBlock ;Request block
PUSH WORD VioHandle ;Vio handle
CALL VioGetFont

```

Returns **WORD**

<http://www.edm2.com/index.php/VioGetFont>

From:
<https://www.osfree.org/doku/> - **osFree wiki**

Permanent link:
<https://www.osfree.org/doku/doku.php?id=en:docs:fapi:viogetfont&rev=1634194795>

Last update: **2021/10/14 06:59**

