



This is part of **Win16 API** which allow to create versions of program from one source code to run under OS/2 and Win16. Under OS/2 program can be running under Win-OS/2 if program is Windows NE executable, and with help on Windows Libraries for OS/2, if it is OS/2 NE executable. [Here](#) is a WLO to OS/2 API mapping draft

2021/09/01 04:23 · prokushev · [0 Comments](#)

## Brief

## Syntax

## Parameters

## Return Code

## Notes

## Example Code

## C Binding

## MASM Binding

## See also

Group	Functions
<b>Module Management</b>	<a href="#">GetVersion</a> <a href="#">GetModuleHandle</a> <a href="#">GetModuleUsage</a> <a href="#">GetModuleFileName</a> <a href="#">GetProcAddress</a> <a href="#">MakeProclInstance</a> <a href="#">FreeProclInstance</a> <a href="#">GetInstanceData</a> <a href="#">Catch</a> <a href="#">Throw</a> <a href="#">GetCodeHandle</a> <a href="#">LoadLibrary</a> <a href="#">FreeLibrary</a>
<b>Global Memory Management</b>	<a href="#">GlobalAlloc</a> <a href="#">GlobalCompact</a> <a href="#">GlobalDiscard</a> <a href="#">GlobalFree</a> <a href="#">GlobalLock</a> <a href="#">GlobalReAlloc</a> <a href="#">GlobalSize</a> <a href="#">GlobalUnlock</a> <a href="#">GlobalFlags</a>
<b>Local Memory Management</b>	<a href="#">LocalInit</a> <a href="#">LocalAlloc</a> <a href="#">LocalCompact</a> <a href="#">LocalDiscard</a> <a href="#">LocalFree</a> <a href="#">LocalLock</a> <a href="#">LocalFreeze</a> <a href="#">LocalMelt</a> <a href="#">LocalReAlloc</a> <a href="#">LocalSize</a> <a href="#">LocalUnlock</a> <a href="#">LocalHandleDelta</a> <a href="#">LockData</a> <a href="#">UnlockData</a> <a href="#">LocalFlags</a>
<b>Task Scheduling</b>	<a href="#">GetCurrentTask</a> <a href="#">Yield</a> <a href="#">SetPriority</a>
<b>Resource Management</b>	<a href="#">AddFontResource</a> <a href="#">RemoveFontResource</a> <a href="#">LoadBitmap</a> <a href="#">LoadCursor</a> <a href="#">LoadIcon</a> <a href="#">LoadMenu</a> <a href="#">LoadString</a> <a href="#">LoadAccelerators</a> <a href="#">FindResource</a> <a href="#">LoadResource</a> <a href="#">AllocResource</a> <a href="#">LockResource</a> <a href="#">FreeResource</a> <a href="#">AccessResource</a> <a href="#">SizeofResource</a> <a href="#">SetResourceHandler</a>

Group	Functions
<b>String Manipulation</b>	AnsiUpper AnsiLower AnsiNext AnsiPrev AnsiUpperBuff AnsiLowerBuff Istrcmp Istrcmpi IsCharAlpha IsCharAlphaNumeric IsCharUpper IsCharLower _wsprintf wvsprintf
<b>Atom Management</b>	InitAtomTable AddAtom DeleteAtom FindAtom GetAtomName GlobalAddAtom GlobalDeleteAtom GlobalFindAtom GlobalGetAtomName
<b>Initialization Files</b>	GetProfileInt GetProfileString WriteProfileString
<b>Debugging</b>	FatalExit
<b>File Input/Output</b>	_lopen _lcreat _lseek _lread _lwrite _lclose OpenFile GetTempFileName GetTempDrive
<b>Registry</b>	RegOpenKey RegCreateKey RegCloseKey RegDeleteKey RegSetValue RegQueryValue RegEnumKey
<b>Window Management</b>	CreateWindow CreateWindowEx DestroyWindow ShowWindow CloseWindow OpenIcon MoveWindow SetWindowPos BringWindowToTop GetWindow GetParent SetParent GetNextWindow GetTopWindow GetWindowRect GetClientRect AdjustWindowRect AdjustWindowRectEx EnableWindow IsWindowEnabled IsWindowVisible IsIconic IsZoomed IsWindow IsChild FindWindow EnumWindows EnumChildWindows EnumTaskWindows GetDesktopWindow GetDesktopHwnd WindowFromPoint ChildWindowFromPoint GetWindowText SetWindowText GetWindowTextLength GetClassName GetWindowLong SetWindowLong GetWindowWord SetWindowWord GetWindowTask GetWindowPlacement SetWindowPlacement ArrangeIconicWindows CascadeChildWindows TileChildWindows ShowOwnedPopups AnyPopup GetLastActivePopup SetActiveWindow GetActiveWindow SetFocus GetFocus SetCapture GetCapture ReleaseCapture SetSysModalWindow GetSysModalWindow LockWindowUpdate RedrawWindow UpdateWindow InvalidateRect InvalidateRgn ValidateRect ValidateRgn GetUpdateRect GetUpdateRgn ExcludeUpdateRgn BeginDeferWindowPos DeferWindowPos EndDeferWindowPos FlashWindow
<b>Message Handling</b>	GetMessage PeekMessage PostMessage PostAppMessage SendMessage ReplyMessage InSendMessage WaitMessage TranslateMessage DispatchMessage GetMessagePos GetMessageTime GetMessageExtraInfo PostQuitMessage RegisterWindowMessage SetMessageQueue GetQueueStatus GetInputState QuerySendMessage
<b>Painting and Drawing</b>	BeginPaint EndPaint GetDC GetDCEX GetWindowDC ReleaseDC DrawText GrayString TabbedTextOut GetTabbedTextExtent FillRect InvertRect FrameRect DrawFocusRect DrawIcon ScrollDC ScrollWindow ScrollWindowEx FillWindow PaintRect GetControlBrush
<b>Menus</b>	CreateMenu CreatePopupMenu DestroyMenu GetMenu SetMenu GetSystemMenu GetSubMenu AppendMenu InsertMenu ModifyMenu DeleteMenu RemoveMenu ChangeMenu CheckMenuItem EnableMenuItem HiliteMenuItem GetMenuState GetMenuString GetMenuItemCount GetMenuItemID DrawMenuBar TrackPopupMenu GetMenuCheckMarkDimensions SetMenuItemBitmaps IsMenu
<b>Clipboard</b>	OpenClipboard CloseClipboard EmptyClipboard GetClipboardOwner GetOpenClipboardWindow SetClipboardData GetClipboardData CountClipboardFormats EnumClipboardFormats RegisterClipboardFormat GetClipboardFormatName IsClipboardFormatAvailable GetPriorityClipboardFormat SetClipboardViewer GetClipboardViewer ChangeClipboardChain

Group	Functions
<b>Caret</b>	CreateCaret DestroyCaret SetCaretPos GetCaretPos HideCaret ShowCaret SetCaretBlinkTime GetCaretBlinkTime
<b>Cursor and Icon</b>	SetCursor GetCursor SetCursorPos GetCursorPos ShowCursor ClipCursor GetClipCursor LoadCursor LoadIcon CreateCursor CreateIcon CopyCursor CopyIcon DestroyCursor DestroyIcon CreateCursorIconIndirect
<b>Scroll Bars</b>	SetScrollPos GetScrollPos SetScrollRange GetScrollRange ShowScrollBar EnableScrollBar CalcChildScroll
<b>Dialog Boxes</b>	DialogBox DialogBoxIndirect DialogBoxParam DialogBoxIndirectParam CreateDialog CreateDialogIndirect CreateDialogParam CreateDialogIndirectParam EndDialog GetDlgItem SetDlgItemText GetDlgItemText SetDlgItemInt GetDlgItemInt CheckDlgButton IsDlgButtonChecked CheckRadioButton SendDlgItemMessage GetNextDlgGroupItem GetNextDlgTabItem GetDlgCtrlID IsDialogMessage MapDialogRect GetDialogBaseUnits DefDlgProc DlgDirList DlgDirListComboBox DlgDirSelect DlgDirSelectEx DlgDirSelectComboBox DlgDirSelectComboBoxEx
<b>Device Context Management</b>	GetDC GetDCEX GetWindowDC ReleaseDC SaveDC RestoreDC CreateDC CreateCompatibleDC DeleteDC ResetDC
<b>Coordinates and Transformations</b>	SetMapMode GetMapMode SetWindowOrg GetWindowOrg SetWindowExt GetWindowExt SetViewportOrg GetViewportOrg SetViewportExt GetViewportExt OffsetWindowOrg OffsetViewportOrg ScaleWindowExt ScaleViewportExt DPToLP LPtoDP
<b>Drawing Functions</b>	SetPixel GetPixel MoveTo LineTo Polyline Polygon PolyPolygon Rectangle RoundRect Ellipse Arc Chord Pie FloodFill ExtFloodFill DrawFocusRect PatBlt BitBlt StretchBlt StretchDIBits SetDIBits GetDIBits SetDIBitsToDevice
<b>Regions</b>	CreateRectRgn CreateRectRgnIndirect CreateRoundRectRgn CreateEllipticRgn CreateEllipticRgnIndirect CreatePolygonRgn CreatePolyPolygonRgn CombineRgn EqualRgn OffsetRgn FillRgn FrameRgn InvertRgn PaintRgn SelectClipRgn ExcludeClipRect IntersectClipRect OffsetClipRgn GetClipBox GetRgnBox PtInRegion RectInRegion SetRectRgn
<b>Bitmaps</b>	CreateBitmap CreateBitmapIndirect CreateCompatibleBitmap CreateDiscardableBitmap CreateDIBitmap CreateDIBPatternBrush SetBitmapBits GetBitmapBits SetBitmapDimension GetBitmapDimension
<b>Brushes and Pens</b>	CreateSolidBrush CreateHatchBrush CreatePatternBrush CreateBrushIndirect CreatePen CreatePenIndirect SetBrushOrg GetBrushOrg SelectObject GetObject DeleteObject GetStockObject UnrealizeObject
<b>Fonts and Text</b>	CreateFont CreateFontIndirect CreateScalableFontResource AddFontResource RemoveFontResource EnumFonts EnumFontFamilies GetTextMetrics GetTextExtent GetTextFace GetCharWidth GetCharABCWidths GetOutlineTextMetrics GetGlyphOutline GetKerningPairs SetTextColor GetTextColor SetBkColor GetBkColor SetBkMode GetBkMode SetTextAlign GetTextAlign SetTextCharacterExtra GetTextCharacterExtra SetTextJustification TextOut ExtTextOut TabbedTextOut GetTabbedTextExtent
<b>Metafiles</b>	CreateMetaFile CloseMetaFile DeleteMetaFile CopyMetaFile GetMetaFile GetMetaFileBits SetMetaFileBits PlayMetaFile PlayMetaFileRecord EnumMetaFile IsValidMetaFile
<b>Printing</b>	StartDoc EndDoc StartPage EndPage SetAbortProc AbortDoc QueryAbort OpenJob CloseJob DeleteJob WriteSpool StartSpoolPage EndSpoolPage SpoolFile
<b>Palettes</b>	CreatePalette SelectPalette RealizePalette GetPaletteEntries SetPaletteEntries ResizePalette AnimatePalette UpdateColors GetNearestPaletteIndex GetNearestColor SetSystemPaletteUse GetSystemPaletteUse GetSystemPaletteEntries

Group	Functions
<b>Device Capabilities</b>	<a href="#">GetDeviceCaps</a> <a href="#">GetRasterizerCaps</a> <a href="#">GetEnvironment</a> <a href="#">SetEnvironment</a> <a href="#">GetAspectRatioFilter</a> <a href="#">Escape</a> <a href="#">CreateIC</a>
<b>Miscellaneous GDI</b>	<a href="#">SetROP2</a> <a href="#">GetROP2</a> <a href="#">SetPolyFillMode</a> <a href="#">GetPolyFillMode</a> <a href="#">SetStretchBltMode</a> <a href="#">GetStretchBltMode</a> <a href="#">SetMapperFlags</a> <a href="#">GetMapperFlags</a> <a href="#">LineDDA</a> <a href="#">MulDiv</a> <a href="#">GetCurrentPosition</a> <a href="#">GetBoundsRect</a> <a href="#">SetBoundsRect</a> <a href="#">FastWindowFrame</a>
<b>Timer</b>	<a href="#">SetTimer</a> <a href="#">KillTimer</a> <a href="#">GetTickCount</a> <a href="#">GetTimerResolution</a> <a href="#">GetCurrentTime</a>
<b>Hooks</b>	<a href="#">SetWindowsHook</a> <a href="#">SetWindowsHookEx</a> <a href="#">UnhookWindowsHook</a> <a href="#">UnhookWindowsHookEx</a> <a href="#">CallNextHookEx</a> <a href="#">DefHookProc</a> <a href="#">CallMsgFilter</a>
<b>Communications</b>	<a href="#">OpenComm</a> <a href="#">CloseComm</a> <a href="#">ReadComm</a> <a href="#">WriteComm</a> <a href="#">SetCommState</a> <a href="#">GetCommState</a> <a href="#">GetCommError</a> <a href="#">TransmitCommChar</a> <a href="#">SetCommEventMask</a> <a href="#">GetCommEventMask</a> <a href="#">SetCommBreak</a> <a href="#">ClearCommBreak</a> <a href="#">UngetCommChar</a> <a href="#">BuildCommDCB</a> <a href="#">EscapeCommFunction</a> <a href="#">FlushComm</a> <a href="#">EnableCommNotification</a>
<b>Networking (WNet)</b>	<a href="#">WNetErrorText</a> <a href="#">WNetOpenJob</a> <a href="#">WNetCloseJob</a> <a href="#">WNetAbortJob</a> <a href="#">WNetHoldJob</a> <a href="#">WNetReleaseJob</a> <a href="#">WNetCancelJob</a> <a href="#">WNetSetJobCopies</a> <a href="#">WNetWatchQueue</a> <a href="#">WNetUnwatchQueue</a> <a href="#">WNetLockQueueData</a> <a href="#">WNetUnlockQueueData</a> <a href="#">WNetGetConnection</a> <a href="#">WNetGetCaps</a> <a href="#">WNetDeviceMode</a> <a href="#">WNetBrowseDialog</a> <a href="#">WNetGetUser</a> <a href="#">WNetAddConnection</a> <a href="#">WNetCancelConnection</a> <a href="#">WNetGetError</a> <a href="#">WNetGetErrorText</a> <a href="#">WNetEnable</a> <a href="#">WNetDisable</a> <a href="#">WNetRestoreConnection</a> <a href="#">WNetWriteJob</a> <a href="#">WNetConnectDialog</a> <a href="#">WNetDisconnectDialog</a> <a href="#">WNetConnectionDialog</a> <a href="#">WNetViewQueueDialog</a> <a href="#">WNetPropertyDialog</a> <a href="#">WNetGetDirectoryType</a> <a href="#">WNetDirectoryNotify</a> <a href="#">WNetGetPropertyText</a>
<b>System Information</b>	<a href="#">GetSystemMetrics</a> <a href="#">GetSysColor</a> <a href="#">SetSysColors</a> <a href="#">SystemParametersInfo</a> <a href="#">GetFreeSystemResources</a> <a href="#">GetSystemDebugState</a> <a href="#">GetDoubleClickTime</a> <a href="#">SetDoubleClickTime</a> <a href="#">SwapMouseButton</a> <a href="#">GetKeyState</a> <a href="#">GetAsyncKeyState</a> <a href="#">GetKeyboardState</a> <a href="#">SetKeyboardState</a> <a href="#">mouse_event</a> <a href="#">GetMouseEventProc</a> <a href="#">EnableHardwareInput</a> <a href="#">IsUserIdle</a> <a href="#">LockInput</a> <a href="#">MessageBeep</a> <a href="#">WinHelp</a>
<b>Window Classes</b>	<a href="#">RegisterClass</a> <a href="#">RegisterClassEx</a> <a href="#">UnregisterClass</a> <a href="#">GetClassInfo</a> <a href="#">GetClassInfoEx</a> <a href="#">GetClassWord</a> <a href="#">SetClassWord</a> <a href="#">GetClassLong</a> <a href="#">SetClassLong</a> <a href="#">GetClassName</a>
<b>Window Properties</b>	<a href="#">SetProp</a> <a href="#">GetProp</a> <a href="#">RemoveProp</a> <a href="#">EnumProps</a>
<b>MDI Support</b>	<a href="#">DefFrameProc</a> <a href="#">DefMDIChildProc</a> <a href="#">TranslateMDISysAccel</a>
<b>Drivers</b>	<a href="#">OpenDriver</a> <a href="#">CloseDriver</a> <a href="#">SendDriverMessage</a> <a href="#">GetDriverModuleHandle</a> <a href="#">GetDriverInfo</a> <a href="#">GetNextDriver</a> <a href="#">DefDriverProc</a>
<b>Miscellaneous</b>	<a href="#">InitApp</a> <a href="#">ExitWindows</a> <a href="#">ExitWindowsExec</a> <a href="#">OLDEXITWINDOWS</a> <a href="#">BEAR11</a> <a href="#">BEAR86</a> <a href="#">BEAR182</a> <a href="#">UserSeeUserDo</a> <a href="#">OldSetDeskPattern</a> <a href="#">SetRect</a> <a href="#">SetRectEmpty</a> <a href="#">CopyRect</a> <a href="#">IsRectEmpty</a> <a href="#">PtInRect</a> <a href="#">OffsetRect</a> <a href="#">InflateRect</a> <a href="#">IntersectRect</a> <a href="#">UnionRect</a> <a href="#">EqualRect</a> <a href="#">SubtractRect</a>

2022/11/17 15:22 · prokushev · 0 Comments

From: <http://www.osfree.org/doku/> - **osFree wiki**

Permanent link: <http://www.osfree.org/doku/doku.php?id=en:docs:win16:api:kernel:gettaskqueueeds>

Last update: **2023/05/01 13:55**

